



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

XIV. *A farther Account of the ascending of Drops of Spirit of Wine between two Glass Planes twenty Inches and an half long; with a Table of the Distances from the touching Ends, and the Angles of Elevation. By the late Mr Fr. Hauksbee, F. R. S.*

THE Spirit of Wine did not move between the Planes, with that nimbleness as Oil of Oranges, which gave me the Liberty to observe the Angles with more Deliberation. The Limb on which the Planes were laid, mov'd in the Centre of a Quadrant of a four Foot Radius; the largeness of which gave me conveniency of measuring the Angles with greater accuracy: But the distance between the Drop on the Planes and the Graduations on the Quadrant, made it a little difficult to observe them both at once. Yet I believe the following Tables may be depended on to be as true as the Nature of such an Experiment (for any thing that I see at present) is capable of. I have formerly given a particular Account of the manner of making this Experiment (printed in *Philosoph. Transact.* No. 334.) to which I refer. These Tables are calculated from the touching Ends of the Planes; and it is to be observed, that in the Table where the Planes were open'd but to an Angle of 10' that I could not come nearer than 4 Inches of the touching Ends in my Observations: But so far as I could go, seems to be much in the same Proportion (as I have oftentimes observed in the course of these Experiments) with the Table where the Planes were opened to an Angle of 18'

Distances in Inches from the touch- ing Ends.		Angle of Elevation.				Distances in Inches from the touch- ing Ends.		Angle of Elevation.	
		<i>D.</i>	<i>M.</i>					<i>D.</i>	<i>M.</i>
18 $\frac{1}{2}$	————	0—	45	————		18 $\frac{1}{2}$	————	1—	30
16 $\frac{1}{2}$	————	0—	55	————		16 $\frac{1}{2}$	————	1—	50
14 $\frac{1}{2}$	————	1—	05	————		14 $\frac{1}{2}$	————	2—	10
12 $\frac{1}{2}$	————	1—	20	————		12 $\frac{1}{2}$	————	2—	40
10 $\frac{1}{2}$	————	1—	30	————		10 $\frac{1}{2}$	————	3—	10
9 $\frac{1}{2}$	————	1—	40	————		9 $\frac{1}{2}$	————	3—	30
8 $\frac{1}{2}$	————	2—	00	————		8 $\frac{1}{2}$	————	4—	00
7 $\frac{1}{2}$	————	2—	30	————		7 $\frac{1}{2}$	————	5—	05
6 $\frac{1}{2}$	————	3—	20	————		6 $\frac{1}{2}$	————	7—	40
5 $\frac{1}{2}$	————	4—	25	————		5 $\frac{1}{2}$	————	10—	50
4 $\frac{1}{2}$	————	6—	00	————		4 $\frac{1}{2}$	————	14—	00
4	————	7—	23	————		4	————	18—	00
3 $\frac{3}{4}$	————	8—	40						
3 $\frac{1}{2}$	————	9—	25						
3 $\frac{1}{4}$	————	10—	30						
3	————	12—	40						
2 $\frac{3}{4}$	————	15—	00						
2 $\frac{1}{2}$	————	18—	50						
2 $\frac{1}{4}$	————	23—	25						
2	————	30—	00						

The Planes open'd to an Angle of 10'

The Planes open'd to an Angle of 18'